



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/797/161/04/19/1322 - EXT 02/04/19

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : HONEYWELL SAFETY PRODUCTS EUROPE
ZI PARIS NORD II , 33 Rue des Vanesses BP 55288 Villepinte
95958 ROISSY CHARLES DE GAULLE / France

Description

PPE Type : *a safety footwear*
Product reference : SPRINT MID S3 HI CI SRC
Article code : 6246164
Construction and material of outsole : PU bi-densité

Pictures :



Reference standard : EN ISO 20345 : 2011
EN IEC 61340 - 4 -3:2017
Classification : I **Category :** S3 HI CI SRC
Size range : 35 - 49 **Slip resistance :** SRC
Toecap nature : Non Metallic **Insert nature :** Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REaCh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from April 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by

Lionel GAUDILLERE

PPE Certification Manager

Date of first issue : 22 April 2019

End of validity date : 22 April 2024



Original CTC



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

HONEYWELL SAFETY PRODUCTS EUROPE

MANUFACTURER'S TECHNICAL FILE

Reference of the product : SPRINT MID S3 HI CI SRC

Article code : 6246164

Technical file index : 01

Last update : April 2019

IDENTIFICATION

Reference of the product : SPRINT MID S3 HI CI SRC
Article Code : 6246164
Major Variant of model : 6246166 JUMP MID S3 HI CI SRC
Technical file index : 01
Last update : April 2019

Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE
ZI PARIS NORD II , 33 Rue des Vanesses BP 55288 Villepinte
95958 ROISSY CHARLES DE GAULLE / France
tel : 0033(0) 1 49 90 70 03
fax : 0033(0) 1 49 90 70 04

Factory :

ANNIC SAS
1 Rue des usines
82250 LAGUEPIE
Tel : 0033(0) 5 63 30 24 10
Fax : 0033(0) 5 63 31 40 18

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: B : ankle boot

Visual description:

General view :



Outsole view :



Reference of the mould : Ultimate 60000

Range of sizes :

35 - 49

Construction and material of outsole :

PU bi-densité

Field of use

Building and Construction - General Industry - Logistic - Maintenance - Transportation – Utilities

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.6	Protection against heat and/or fire	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	9100325	Crazy Brown 2.0-2.2mm Hydro (leather)	Brown
	9200363	Micropell grain Interstellar 2.2mm (Syntetic)	Noir
	9200239	On Dura Nilo /feutre 150gr (textil)	Noir
COLLAR	9200239	On Dura Nilo /feutre 150gr (textil)	Noir
TONGUE	9200239	On Dura Nilo /feutre 150gr (textil)	Noir
VAMP LINING	9200008	Non Tissé aiguilleté (textil)	Blanche
QUARTER LINING	9200055	PORO MAX (6024321 - Orange et 6024316 - Noir)	Pistache
INSOCK	9704043	premières HONEYWELL R16158EAO H 604 medium (or 9704042 or 9704043)	Noir
	2017100	Vautec WELL	Noir
OUTSOLE	Ultimate 60000	PU - Bi-densité	Noir / Gris
INSOLE	9200629	Protector - Z	Beige
TOE CAP	9500756	604G - SAFIT (Fiber Glass)	Blanc
INSERT	9200629	Protector - Z	Beige
DECORATIVE ELEMENTS		Sangle TISG 12mm (textil)	Granny 0718

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

EN IEC 61340-4-3 : 2017 : Electrostatics - Standard test methods for footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Heat insulation
- Cold insulation

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the authorized representative
- * Logo **CE**
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference SPRINT MID S3 HI CI SRC
- * Article code 6246164
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : sur soufflet

Method of marking on the footwear :

sur étiquette piquée sur soufflet

Packaging :

Par paire dans boîte individuelle

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	Reference		
CTC	L190203379_1	CTC	L180917548_1
CTC	L190203375_1	CTC	L180917549_1
CTC	L190305383_1	CTC	L181225122_1
CTC	L190203388_1	CTC	L190203379_1
CTC	L190203384_1	CTC	L190203375_1
CTC	L190305386_1	CTC	L190305383_1
CTC	L190305387_1	CTC	L190202922_1
CTC	L181225149_1	CTC	L190203391_1
CTC	L181225146_1		
CTC	L181225141_1	OEKO-TEX	20180K0829
CTC	L190305892_1	PFI	1902569-01-00-01/03
CTC	L181225140_1	PFI	1902127-01/03-00-01
		INESCOP	R-17046702

MEANS OF CONTROL

Unité de production certifié BVQI

N° QUAL FR047753-1

La conformité des produits est aussi assurée par des tests en interne:

Test Adhésion tige/semelle de marche & Force d'adhésion semelle de marche/Semelle intercalaire Fréquence journalière

Test Résistance aux chocs et à l'écrasement Fréquence hebdomadaire

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : <https://doc.honeywellsafety.com/>